



Css - A: Active

• In CSS, **a: active** defines the style of an element on which the user is currently clicking.

Sample Code:

```
<! DOCTYPE html>
   <html>
        <head>
               <style>
                   a: active
                       color: green;
               </style>
        </head>
        <body>
          <b>
              <a href="http://www.wikitechy.com/"target="_blank">
                     Best E-Learning Website In the World</a>
          </b>
                 </body>
  </html>
```







Code Explanation:

```
<!DOCTYPE html>
<html>
    <head>
    <style>
    a:active ——1
            color:green; ← 2
   </style>
    </head>
   <body>
<b>
    <a href="http://www.wikitechy.com/"</pre>
   target="_blank">Best E-Learning
   Website In The World</a>
</b>
    </body>
</html>
```

- Here a: active is the link that defines the style of an element on which the user is currently clicking.
- Specifying color green for a: visited property means the link color will change from blue to green when user click it.
- href is the attribute which specifies the destination address. target="_blank" Open the Link in new tab.







OUTPUT:



Normally all the text we type in <a> tag appears in blue color and underlined which we have displayed in the browser window.













When we click the link, the text link "Best E-learning Website in the world" changes from blue to green indicating that we have clicked the link, which we have displayed in the browser window.

* Clicking on the link "Best E-learning Website in the world" will direct us to the wikitechy website which is displayed below.



