

CSS STYLE SHEET

- ◆ When a browser reads a style sheet, it will change the HTML document in accordance with styles specified in the style sheet.
- ◆ CSS Style sheet describes the presentation of an HTML document in the browser window.

Internal Style Sheet:

- ◆ An internal style sheet is used for a single web page which apply different style.
- ◆ Internal styles are defined within the `<style>` element, inside the `<head>` section of an HTML page.

Sample Code:

```
<! DOCTYPE html>

<html>

  <head>

    <style>

      h1

        {

          color: blue;

        }

    
```

```
</style>

</head>

<body>

    <h1>Welcome To Wikitechy</h1>

    <p>Just a normal paragraph</p>

</body>

</html>
```

Code Explanation:

```
<!DOCTYPE html>
<html>
  <head>
    <style>
      h1 ← 1
      {
        color:blue; ← 2
      }
    </style>
  </head>
  <body>
    3 → <h1>Welcome To Wikitechy</h1>

    <p>Just a normal paragraph</p>
  </body>
</html>
```



- 1 Here we have Opened the style tag(<style></style>) inside head section of the html page. H1 element is used to CSS to
- 2 specify the heading of a web page.

Color property is used to specify font color for the html element contents. Here we are applying blue color for the h1 text.

- 3 Over here, the text **“Welcome To Wikitechy”** is the heading of our web page which will have styles that applied internally.

Output:



- 1 The text **“Welcome to wikitechy”** will appear in blue color which we can see in the output.
- 2 The text **“Just a normal paragraph”** will appear normally for which we have not specified any styles.