

jQuery-CSS-Classes

- ✱ In jQuery, the element **class selector selects** all the elements which matches with the **given class of the elements**.

Syntax:

`$('.classid')`

Syntax Explanation:

- 💧 **classid** : The classid specifies a class ID available in the document.
- ✱ jQuery has several methods for CSS manipulation such as:
 - ➡ `addClass()`
 - ➡ `removeClass()`
 - ➡ `toggleClass()`
 - ➡ `css()`

addClass():

- ✱ The `addClass()` method specifies to add **one or more class names** to the **selected elements**.
- ✱ `addClass()` method adds the specified classes to the matched elements while animating all the style changes.

Syntax:

```
$(selector).addClass(classname,function(index,oldclass))
```

removeClass():

- ✱ The `removeClass()` method removes all or the specified classes from the **set of matched elements**.
- ✱ If no parameter is specified, this method will **remove ALL class names from the selected elements**.

Syntax:

```
selector.removeClass(class)
```

toggleClass():

- ✱ The `toggleClass()` method is used to specify either **adds /removes** for the specified class .

Syntax:

```
selector.toggleClass( class )
```

CSS():

- ✱ `CSS()` is **very simple to apply** any CSS property using JQuery methods.
- ✱ The `css()` method sets or returns one or more **style properties** for the selected elements.

Syntax:

```
selector.css( PropertyName, PropertyValue );
```