

<base>-TAG IN HTML

- <base> element is used for the base URL for all relative documents in the HTML page.
- Only one base element is used inside the <head> element in HTML document.
- <base> tag supports **Global attributes**.
- <base> tag belongs to **Metadata Content category**.

Syntax for <base> tag in HTML:

```
<base>Content here...</base>
```

Sample coding for <base> tag in HTML:

```
<!DOCTYPE html>
<html>
<head>
  <base target="_blank" href="http://www.wikitechy.com/">
</head>
<body>
  <p>
    Here "http://www.wikitechy.com/" is a base URL.
    Click below to go Wikitechy tutorials.  </p>
  <p><a href="online-tutorials">Wikitechy online tutorials</a>-<br>
    Wikitechy online tutorials page is open from the base URL.</p>
</body>
</html>
```

Code Explanation for <base> tag in HTML:

```
<!DOCTYPE html>
<html>
  <head>
    <base target="_blank" href="http://www.wikitechy.com/">
  </head>
  <body>
    <p>
      Here "http://www.wikitechy.com/" is a base URL.
      Click below to go Wikitechy tutorials.</p>
    <p>
2 <a href="online-tutorials">Wikitechy online tutorials</a>-<br>
      Wikitechy online tutorials page is open from the base URL..</p>
  </body>
</html>
```

1. In the <base> tag “**href=http://www.wikitechy.com/**” is base URL for all the related URLs in the documents.
2. **** this will be navigate to **“http://www.wikitechy.com/online-tutorials”**. If we cannot set the <base> tag URL that will be navigate to the “**online-tutorials**” document in the current directory.

Note: <base> tag is declare within the head element only.

Output of <base> tag in HTML:



Here "http://www.wikitechy.com/" is a base URL. Click below to go Wikitechy tutorials.

Wikitechy online tutorials-  

Wikitechy online tutorials page is open from the base URL.

1. If user click the "**Wikitechy online tutorials**" link that will be redirected to Wikitechy online tutorials page in wikitechy.com website.

Attributes of <base> tag in HTML:

Attributes	Value	HTML 4	HTML 5	Description
href	URL	Yes	Yes	Denotes the base URL for all relative URLs in the page
target	_blank _parent _self _top framename	Yes	Yes	Denotes the default target for all hyperlinks and forms in the page

Browser Support for <base> tag in HTML:

Browser	Language attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

Tips and Notes:

- The <base> tag is the first element inside the <head> element, so that other elements inside the head section uses the information from the <base> element.
- The <base> tag is present, it must have href or a target attribute, or both.