



### <form> TAG IN HTML

- To Create an HTML form for user form tag is used.
- The <form >tag supports the **Global Attributes and Event Attributes**.
- Form tag belongs to **Flow Content and Palpable Content.**
- The <form> element can contain more number of elements as follows.
  - <input>
  - <option>
  - <select>
  - <but
  - <textarea>
  - <label>
  - <fieldset>
  - <optgroup>

#### **Syntax for <form>tag:**

<form> content </form>

#### Different between HTML 4.0.1 and HTML 5 for form tag:

#### **HTML 4.0.1**

HTML 4.01 does not support autocomplete and novalidate.

#### HTML 5

• Two new attributes added autocomplete and novalidate, and accept attribute is removed in HTML 5.









#### Sample coding for <form> tag:

```
<!DOCTYPE html>
<html>
<body>
<form>
<label for="First name"> First Name: </label> <br>
<input type="text" name="name"> <br>
<label for="Second name"> Second Name: </label> <br>
<input type="text" name="name"> <br>
<input type="text" name="name"> <br>
<input type="submit" value="Submit"> </form>
</body>
</html>
```

#### **Code Explanation for <form> tag:**

1. The **<form>tag** is used to create the form, by using the elements like <label>,<input>,etc.,










### **Output of <form>tag:**



1. Here the form is displayed in the output with First Name "wiki" and the Second Name "techy"





## Html Step By Step Tutorials



### **Attributes of <form>tag:**

Attribute	Value	HTML4	HTML5	Description
accept	file_type	Yes	No	Denotes a comma- separated list of content
				types that the server accepts.
accept-charset	Character_set	Yes	Yes	It mentions a list of character encodings that the server accepts. The default value is
				"unknown".
Action	URL	Yes	Yes	Denotes a URI/URL of the back-end script that will process the form
target	_blank _self _parent	Yes	Yes	Denotes where to display the response that is received after submitting
	_top			the form.
enctype	application/x -www-form- urlencoded multipart/for	Yes	Yes	Denotes how the form- data should be encoded when submitting it to the server.
	m-data			
method	get post	Yes	Yes	Denotes the HTTP method to use when sending form-data.
name	text	Yes	Yes	Denotes the name of a form.
novalidate	novalidate	No	Yes	Denotes that the form should not be validated when submitted.





# Html Step By Step Tutorials



autocomplete			YES	Denotes whether form
	On	No		should have
	Off			autocomplete on or off

### **Browser Support for <form> tag in HTML:**

Browser	Language attribute		
Chrome	Yes		
Internet explorer / Edge	Yes		
Firefox	Yes		
Safari	Yes		
Opera	Yes		

