

## HTML – <ol>tag Order list

- <ol>tag is defined as the ordered list.
- <ol> tag is displayed with numerical and alphabetical. By using <li>tag it defines the list.
- It supports **Global** and **Event** attributes.
- <ol> tag belongs to **Flow content**.

### Syntax for <ol>tag:

```
<ol> list item here...</ol>
```

### Differences between HTML 4.01 and HTML5

#### HTML 4.01

- The "start"and "type" attributes are deprecated.
- "compact" attribute is supported.

#### HTML5

- It supports "start"and "type" attributes.
- It doesn't support "compact" attribute.
- The "reversed" attribute is new in HTML5.

## Sample coding for <ol>in HTML:


```
<!DOCTYPE html>
<html>
  <body>
    <h4>List of Technologies</h4>
    <ol>
      <li>Wikitechy HTML</li>
      <li>Wikitechy PHP</li>
      <li>Wikitechy CSS</li>
    </ol>
  </body>
</html>
```

## Code Explanation for <ol>Tag:

```
<!DOCTYPE html>
<html>
  <body>
    <h4>List of Technologies</h4>
    <ol> → 1
      <li>Wikitechy HTML</li>
      <li>Wikitechy PHP</li>
      <li>Wikitechy CSS</li>
    </ol>
  </body>
</html>
```

- 1.<ol>tag used to list the content in order.

## Output for <ol>Tag:



1. The content is displayed in ordered list with numerical form.

## Attributes List :

Attribute	Value	HTML4	HTML5	Description
compact	compact	Yes	No	Used to define that the list should render smaller than normal
reversed	reversed	No	Yes	Used to define that the list order should be descending
start	number	Yes	Yes	Used to define the start value of an ordered list
type	1 A a I i	Yes	Yes	Used to define which kind of bullet point will be used.

**Browser support for <ol> tag:**

Browser	Language Attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes