

<i> - ITALIC TAG IN HTML

- The <i> tag used to italicize the text content.
- <i> tag belongs to **Flow content, phrasing content, palpable content**.
- The <i> tag supports **Global Attributes** and **Event Attributes**.

Syntax for <i> tag in HTML:

```
<i> Content </i>
```

Differences between HTML 4.01 and HTML5 for <i> tag in HTML:

HTML 4.0.1

- The <i> tag was used to extract the text in italics in HTML4.

HTML5

- The <i> tag is not essential for HTML5 version.



Sample coding for <i> tag in HTML:


```
<!DOCTYPE html>
<html>
  <body>
    <p>
      <i>Learn</i> to Code in Wikitechy <br>
      <i>Teach</i> people how different technologies are organized
      <br>
      <i>Covers</i> a variety of topics<br>
      <i>Ranging</i> from advanced beginners to skill levels.
    </p>
  </body>
</html>
```

Code Explanation for <i>tag in HTML:

```
<!DOCTYPE html>
<html>
  <body>
    <p> ← 1
      <i>Learn</i> to Code in Wikitechy <br> ← 2
      <i>Teach</i> people how different technologies are organized
      <br>
      <i>Covers</i> a variety of topics<br>
      <i>Ranging</i> from beginners to advanced skill levels.
    </p>
  </body>
</html>
```

1. **<p>** tag is used to display content inside the paragraph tag.
2. The text inside the **<i>** tag will be displayed in **italicized text**.

Output of <i> tag in HTML:



1. The words “**Learn, Teach, Covers & Ranging**” was in italic form which is displayed in the output.

Browser Support for <i> tag in HTML:

Browser	Language attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes