

## <th> - TABLE HEADER TAG IN HTML

- The <th> tag is used to specify a **header cells** in the table.
- There are the two kinds of cells in the table.
  - **Header cells**, which specifies the header information using <th> tag.
  - **Standard cells**, which specifies the data using <td> tag.
- The <th> tag supports **Global Attributes and Event Attributes**.

### Syntax for <th> tag:

```
<th> content </th >
```

### Differences between HTML 4.01 and HTML5 for <th> tag:

#### HTML 4.01

- abbr, align, axis, bgcolor, char, charoff, colspan, headers, height, nowrap, rowspan, scope, sorted, valign, width attributes are supported.

#### HTML 5

- All layout attributes are removed except colspan, headers, rowspan, scope and sorted.



**Sample coding for <th> tag:**

```
<!DOCTYPE html>
<html>
  <body>
    <table border=1>
      <tr>
        <th>Firstname</th>
        <th>Lastname</th>
      </tr>
      <tr>
        <td>Wiki</td>
        <td>techy</td>
      </tr>
    </table>
  </body>
</html>
```




### Code Explanation for <th> tag:

```
<!DOCTYPE html>
<html>
  <body>
    <table border=1>
      <tr>
        <th>Firstname</th>
        <th>Lastname</th>
      </tr>
      <tr>
        <td>Wiki</td>
        <td>techy</td>
      </tr>
    </table>
  </body>
</html>
```

1. **<th> tag** - is used to defined the content of the table's header elements.
2. **Firstname** is the data of the header table which is shown in dark letters.

### Sample Output for <th> tag:



1. Here we can see the output **Firstname** and **lastname** defines the table header.

### Attributes list:

Attributes	Value	HTML 4	HTML 5	Description
<b>align</b>	left right center justify char	Yes	No	Provides the alignment of the content.
<b>valign</b>	top middle bottom baseline	Yes	No	Describes the alignment of the content in vertical.
<b>char</b>	character	Yes	No	Defines the content alignment relevant to a character.

<b>charoff</b>	number	Yes	No	Provides the number of characters.
<b>width</b>	pixels %	Yes	No	the width of a cell
<b>scope</b>	col colgroup row rowgroup	Yes	No	to associate header cells and data cells in a table
<b>abbr</b>	text	Yes	No	abbreviated version of the content in a cell
<b>axis</b>	category_ name	Yes	No	Categorizes cells
<b>bgcolor</b>	rgb(x,x,x) #xxxxxx colorname	Yes	No	the background color of a cell
<b>headers</b>	header_id	Yes	Yes	a cell is related to one or more header cells.
<b>colspan</b>	number	Yes	Yes	the number of columns a cell should span
<b>height</b>	pixels %	Yes	No	the height of a cell
<b>nowrap</b>	nowrap	Yes	No	the content inside a cell should not wrap
<b>rowspan</b>	number	Yes	Yes	the number of rows a cell should span
<b>sorted</b>	reversed number reversed number number reversed	Yes	Yes	the sort direction of a column

**Browser Support for <th> tag:**

Browser	Language Attribute
Chrome	Yes
Internet explorer / Edge	Yes
Firefox	Yes
Safari	Yes
Opera	Yes

**Tips and Notes**

- The colspan and rowspan attribute is used to let the content span over different columns or rows